Chemwatch Material Safety Data Sheet (REVIEW)

Version No: 3

Hazard Alert Code: MODERATE

Chemwatch 4622-39

CD 2011/1

Issue Date: 29-Jan-2010

NC317TCP

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Diversey D2 Concentrate

SYNONYMS cleaner

PRODUCT NUMBERS 47033

PRODUCT USE All purpose cleaner.

SUPPLIER

Company: JohnsonDiversey

Address: 29 Chifley Street Smithfield NSW, 2164 Australia Telephone: +61 2 9757 0300 Telephone: 1800 251 738 (AUS) Emergency Tel: 1800 033 111 Fax: +61 2 9725 5767

Section 2 - HAZARDS IDENTIFICATION

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to NOHSC Criteria, and ADG Code CHEMWATCH HAZARD RATINGS Min Max Flammability: 1 0 Toxicity: 2 Body Contact: Min/Nil=0 Low=1 Moderate=2 Reactivity: 1 High=3 Chronic: 2 Extreme=4 **POISONS SCHEDULE** None **RISK** SAFETY Irritating to eyes and skin. · Do not breathe gas/ fumes/ vapour/ spray. Cumulative effects may result following · Avoid contact with skin. exposure*. * (limited evidence). · Wear eye/ face protection. • To clean the floor and all objects contaminated by this material, use water. • In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre. • If swallowed, IMMEDIATELY contact Doctor or Poisons Information Centre (show this container or label).

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
dipropylene glycol monomethyl ether	34590-94-8	<2
potassium pyrophosphate	7320-34-5	N/S
tridecyl alcohol, ethoxylated	24938-91-8	N/S

STATEMENT OF HAZARDOUS NATURE

http://jr.chemwatch.net/chemgold3/msds.exe?mode=SAP&cwno=4622-39&msdsfor... 24/06/2011

CD 2011/1

Diversey D2 Concentrate

Chemwatch Material Safety Data Sheet (REVIEW)

Version No: 3

Hazard Alert Code: MODERATE
Chemwatch 4622-39

Issue Date: 29-Jan-2010

NC317TCI	Р
----------	---

disodium dodecyl(sulfophenoxy)benzenesulfonate	28519-02-0	N/S
ammonium lauryl ether sulfate	32612-48-9	N/S
water	7732-18-5	N/S

No other ingredient information supplied.

Section 4 - FIRST AID MEASURES

SWALLOWED

- Internet all states in the second states
- Immediately give a glass of water.
 First sid is not according to the sector.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.
- EYE
- If this product comes in contact with the eyes:
- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

- If skin contact occurs:
- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- •
- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

FIRE FIGHTING

-
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.
- Use water delivered as a fine spray to control fire and cool adjacent area.
- Avoid spraying water onto liquid pools.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.

• If safe to do so, remove containers from path of fire.

FIRE/EXPLOSION HAZARD

- Combustible.
- Slight fire hazard when exposed to heat or flame.
- Heating may cause expansion or decomposition leading to violent rupture of containers.
- On combustion, may emit toxic fumes of carbon monoxide (CO).
- May emit acrid smoke.
- Mists containing combustible materials may be explosive.

Combustion products include: carbon dioxide (CO2), nitrogen oxides (NOx), other pyrolysis products typical of burning organic material.

May emit poisonous fumes.

May emit corrosive fumes. FIRE INCOMPATIBILITY

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may
result

CG3

Version No: 3

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

HAZCHEM None

Personal Protective Equipment

Gloves, boots (chemical resistant).

Section 6 - ACCIDENTAL RELEASE MEASURES

MINOR SPILLS

- Bomovia ell
- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- Wipe up.
- Place in a suitable, labelled container for waste disposal.
- MAJOR SPILLS
- Moderate hazard.
- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.
- No smoking, naked lights or ignition sources.
- Increase ventilation.
- Stop leak if safe to do so.
- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labelled containers for recycling.
- Absorb remaining product with sand, earth or vermiculite.
- Collect solid residues and seal in labelled drums for disposal.
- Wash area and prevent runoff into drains.
- If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
 DO NOT enter confined spaces until atmosphere has been of
- DO NOT enter confined spaces until atmosphere has been checked.
- Avoid smoking, naked lights or ignition sources.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- Work clothes should be laundered separately.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.
- DO NOT allow clothing wet with material to stay in contact with skin

SUITABLE CONTAINER

- Metal can or drum
- Packaging as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

STORAGE INCOMPATIBILITY

• Avoid reaction with oxidising agents

STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.

e Hazard Alert Code: MODERATE

Chemwatch 4622-39

Version No: 3

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

No smoking, naked lights or ignition sources.

- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



X: Must not be stored together

O: May be stored together with specific preventions

+: May be stored together

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

Source	Material		TWA ppm	TWA mg/m³	STEL ppm	STEL mg/m³	Peak ppm	Peak mg/m³	TWA F/CC	Notes
Australia Exposure Standards	dipropylene glycol monomethyl e ((2-Methoxymethylethoxy) propa	ether nol)	50	308						Sk
The following mate	erials had no OELs on our records	3								
potassium pyrop	phosphate:	CAS:7	7320-34-	5						
• tridecyl alcohol,	ethoxylated:	CAS:2	24938-9 ⁻	1-8						
• disodium dodec	yl(sulfophenoxy)benzenesulfonate	e: CAS:2	28519-02	2-0 CAS:1	19345-0	4-9 CAS:1	49119-2	20-0		
• ammonium laur	yl ether sulfate:	CAS:3	32612-48	3-9						
• water:		CAS:7	732-18-	5						
EMERGENCY EX	POSURE LIMITS									
Material		Revised	IDLH V	/alue (mg/	′m³)	Re	vised IDI	LH Value	(ppm)	
dipropylene glyco	I monomethyl ether	162				60	0			

ODOUR SAFETY FACTOR (OSF)

OSF=0.0023 (polyethylene glycol tridecyl alcohol)

Exposed individuals are NOT reasonably expected to be warned, by smell, that the Exposure Standard is being exceeded.
 Odour Safety Factor (OSF) is determined to fall into either Class C, D or E.

The Odour Safety Factor (OSF) is defined as:

OSF= Exposure Standard (TWA) ppm/ Odour Threshold Value (OTV) ppm

Classification into classes follows:

Class OSF Description

- Over 90% of exposed individuals are aware by smell that the Exposure Standard (TLV-TWA for example) is being 550 А reached, even when distracted by working activities
- 26-В As "A" for 50-90% of persons being distracted 550
- 1-26 As "A" for less than 50% of persons being distracted С
- D 0.18-1 10-50% of persons aware of being tested perceive by smell that the Exposure Standard is being reached
- F <0.18 As "D" for less than 10% of persons aware of being tested

MATERIAL DATA

AMMONIUM LAURYL ETHER SULFATE: DISODIUM DODECYL(SULFOPHENOXY)BENZENESULFONATE:

POTASSIUM PYROPHOSPHATE:

• Sensory irritants are chemicals that produce temporary and undesirable side-effects on the eyes, nose or throat. Historically occupational exposure standards for these irritants have been based on observation of workers' responses to various airborne concentrations. Present day expectations require that nearly every individual should be protected against even minor sensory irritation and exposure standards are established using uncertainty factors or safety factors of 5 to 10 or more. On occasion animal no-observable-effect-levels (NOEL) are used to determine these limits where human results are unavailable. An additional approach, typically used by the TLV committee (USA) in determining respiratory standards for this group of chemicals, has been to assign ceiling values (TLV C) to rapidly acting irritants and to assign short-term exposure limits (TLV STELs) when the weight of evidence from irritation, bioaccumulation and other endpoints combine to warrant such a limit. In contrast the MAK Commission (Germany) uses a five-category system based on intensive odour, local irritation, and elimination half-life. However this system is

Hazard Alert Code: MODERATE

Chemwatch 4622-39

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

being replaced to be consistent with the European Union (EU) Scientific Committee for Occupational Exposure Limits (SCOEL); this is more closely allied to that of the USA.

OSHA (USA) concluded that exposure to sensory irritants can:

- cause inflammation
- cause increased susceptibility to other irritants and infectious agents
- lead to permanent injury or dysfunction
- permit greater absorption of hazardous substances and
- acclimate the worker to the irritant warning properties of these substances thus increasing the risk of overexposure.

AMMONIUM LAURYL ETHER SULFATE: DISODIUM DODECYL(SULFOPHENOXY)BENZENESULFONATE:

POTASSIUM PYROPHOSPHATE:

It is the goal of the ACGIH (and other Agencies) to recommend TLVs (or their equivalent) for all substances for which there is evidence of health effects at airborne concentrations encountered in the workplace.
At this time no TLV has been established, even though this material may produce adverse health effects (as evidenced in animal

At this time no TLV has been established, even though this material may produce adverse health effects (as evidenced in animal experiments or clinical experience). Airborne concentrations must be maintained as low as is practically possible and occupational exposure must be kept to a minimum.

NOTE: The ACGIH occupational exposure standard for Particles Not Otherwise Specified (P.N.O.S) does NOT apply. TRIDECYL ALCOHOL, ETHOXYLATED:

WATER:

■ No exposure limits set by NOHSC or ACGIH.

DIVERSEY D2 CONCENTRATE:

Not available

DIPROPYLENE GLYCOL MONOMETHYL ETHER:

for dipropylene glycol monomethyl ether:

The TLV-TWA and STEL recommendations were thought to be sufficiently low to prevent objectionable irritation and provide a considerable safety factor against CNS impairment. In view of the large dose required to cause weight loss and narcosis in rabbits the skin notation is being reviewed.

Probable minimum concentration that may cause minor nasal irritation is about 35 ppm.

Probable minimum concentration that may cause tolerable eye, throat, and respiratory irritation is about 75 ppm.

Lowest concentration at which vapour is rated tolerable 80 ppm.

Based on these criteria it is possible that an occasional person may find the vapour of dipropylene glycol monomethyl ether intolerable at the recommended 100 ppm TLV.

Dermal absorption of the substance under specific experimental conditions led to narcotic effects and consequent deaths. However, only slight narcotic effects were seen after several hours exposure of rats to

aerosols which wet the fur of animals. Rabbits tolerated dermal application of 3.0 ml/kg per day without effects. A skin designation is thought to be unnecessary by the MAK committee, in contrast with others.

TRIDECYL ALCOHOL, ETHOXYLATED:

for ethylene oxide:

Odour Threshold Value: 257-690 ppm (detection), 493 ppm (recognition)

NOTE: Detector tubes for ethylene oxide, measuring in excess of 1 ppm, are available commercially.

Exposure at or below the TLV-TWA is thought reduce the potential oncogenic risk and the risk from potential, non-neoplastic adverse effects non lungs, liver, kidneys, endocrine system, blood forming elements and the central nervous system. OSHA recognised that ethylene oxide exposures at 1 ppm still might produce significant health risks. A quantitative risk assessment shows an excess cancer mortality risk of 12 to 23 deaths per 10,000 workers at this level. It must be stated that risk assessment models are fraught with much uncertainty.

Odour Safety Factor(OSF)

OSF=0.0023 (ETHYLENE OXIDE). PERSONAL PROTECTION





EYE

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59]

HANDS/FEET

- Wear chemical protective gloves, eg. PVC.
- Wear safety footwear or safety gumboots, eg. Rubber

OTHER

CG3

Version No: 3

Chemwatch 4622-39

Hazard Alert Code:

MODERATE

Chemwatch Material Safety Data Sheet (REVIEW)

Version No: 3

Hazard Alert Code: MODERATE

Chemwatch 4622-39

CD 2011/1

Issue Date: 29-Jan-2010

NC317TCP

- •
- Overalls. •
- P.V.C. apron. .
- Barrier cream. Skin cleansing cream.
- Eve wash unit

RESPIRATOR

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

(volume)	Maximum Protection Factor	Half-face Respirator	Full-Face Respirator
1000	10	A-AUS P	-
1000	50	-	A-AUS P
5000	50	Airline *	-
5000	100	-	A-2 P
10000	100	-	A-3 P
	100+		Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required. For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

ENGINEERING CONTROLS

- General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant

oontaninant.	
Type of Contaminant:	Air Speed:
solvent, vapours, degreasing etc., evaporating from tank (in still air).	0.25-0.5 m/s (50-100 f/min)
aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100-200 f/min.)
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion). Within each range the appropriate value depends on:	2.5-10 m/s (500-2000 f/min.)
Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
3: Intermittent, low production.	High production, heavy use
4: Large hood or large air mass in motion Simple theory shows that air velocity falls rapidly with distance generally decreases with the square of distance from the extra extraction point should be adjusted accordingly after reference to	4: Small hood-local control only e away from the opening of a simp action point (in simple cases). The o distance from the contamination s

ple extraction pipe. Velocity erefore the air speed at the ource. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Clear green liquid with a lemon odour; mixes with water.

PHYSICAL PROPERTIES

Liquid. Mixes with water.			
State	Liquid	Molecular Weight	Not Applicable
Melting Range (℃)	Not Available	Viscosity	Not Available
Boiling Range (℃)	100	Solubility in water (g/L)	Miscible

Chemwatch Material Safety Data Sheet (REVIEW)

Version No: 3

Hazard Alert Code: MODERATE

Chemwatch 4622-39

CD 2011/1

Issue Date: 29-Jan-2010			
NC317TCP			
Flash Point (℃)	204.44	pH (1% solution)	Not Available
Decomposition Temp (℃)	Not Available	pH (as supplied)	Not Available
Autoignition Temp (℃)	Not Available	Vapour Pressure (kPa)	2.26 @ 20 deg C
Upper Explosive Limit (%)	Not Available	Specific Gravity (water=1)	1.02
Lower Explosive Limit (%)	Not Available	Relative Vapour Density (air=1)	Not Applicable
Volatile Component (%vol)	<90	Evaporation Rate	1 BuAC = 1

Section 10 - CHEMICAL STABILITY

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable. Hazardous polymerisation will not occur.

For incompatible materials - refer to Section 7 - Handling and Storage.

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (eg. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

EYE

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

Non-ionic surfactants can cause numbing of the cornea, which masks discomfort normally caused by other agents and leads to corneal injury. Irritation varies depending on the duration of contact, the nature and concentration of the surfactant.

Direct eye contact with some anionic surfactants in high concentration can cause severe damage to the cornea. Low concentrations can cause discomfort, excess blood flow, and corneal clouding and swelling. Recovery may take several days.

SKIN

The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Repeated exposures may produce severe ulceration. The material may accentuate any pre-existing dermatitis condition.

Anionic surfactants can cause skin redness and pain, as well as a rash. Cracking, scaling and blistering can occur.

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

CHRONIC HEALTH EFFECTS

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Some glycol esters and their ethers cause wasting of the testicles, reproductive changes, infertility and changes to kidney function. Shorter chain compounds are more dangerous. Higher concentrations and prolonged exposure can cause blood in the urine. Sodium phosphate dibasic can cause stones in the kidney, loss of mineral from the bones and loss of thyroid gland function.

Version No: 3

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

TOXICITY AND IRRITATION

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances. AMMONIUM LAURYL ETHER SULFATE:

TRIDECYL ALCOHOL, ETHOXYLATED:

• The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. TRIDECYL ALCOHOL, ETHOXYLATED:

DIPROPYLENE GLYCOL MONOMETHYL ETHER:

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. POTASSIUM PYROPHOSPHATE:

DIPROPYLENE GLYCOL MONOMETHYL ETHER:

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a nonallergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a nonatopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production. DIVERSEY D2 CONCENTRATE:

IBRITATION

Not available. Refer to individual constituents.

DIPROPYLENE GLYCOL MONOMETHYL ETHER: TOVICITY

Oral (rat) LD50: 5135 mg/kg	Eye (human): 8 mg - Mild
Dermal (Rabbit) LD50: 9500 mg/kg	Skin (rabbit): 238 mg - Mild
	Eye (rabbit): 500 mg/24hr - Mild
	Skin (rabbit): 500 mg (open)-Mild

for propylene glycol ethers (PGEs):

Typical propylene glycol ethers include propylene glycol n-butyl ether (PnB); dipropylene glycol n-butyl ether (DPnB); dipropylene glycol methyl ether acetate (DPMA); tripropylene glycol methyl ether (TPM).

Testing of a wide variety of propylene glycol ethers Testing of a wide variety of propylene glycol ethers has shown that propylene glycol-based ethers are less toxic than some ethers of the ethylene series. The common toxicities associated with the lower molecular weight homologues of the ethylene series, such as adverse effects on reproductive organs, the developing embryo and fetus, blood (haemolytic effects), or thymus, are not seen with the commercial-grade propylene glycol ethers. In the ethylene series, metabolism of the terminal hydroxyl group produces an alkoxyacetic acid. The reproductive and developmental toxicities of the lower molecular weight homologues in the ethylene series are due specifically to the formation of methoxyacetic and ethoxyacetic acids.

Longer chain length homologues in the ethylene series are not associated with the reproductive toxicity but can cause haemolysis in sensitive species, also through formation of an alkoxyacetic acid. The predominant alpha isomer of all the PGEs (thermodynamically favored during manufacture of PGEs) is a secondary alcohol incapable of forming an alkoxypropionic acid. In contrast beta-isomers are able to form the alkoxypropionic acids and these are linked to teratogenic effects (and possibly haemolytic effects).

This alpha isomer comprises greater than 95% of the isomeric mixture in the commercial product.

Because the alpha isomer cannot form an alkoxypropionic acid, this is the most likely reason for the lack of toxicity shown by the PGEs as distinct from the lower molecular weight ethylene glycol ethers. More importantly, however, very extensive empirical test data show that this class of commercial-grade glycol ether presents a low toxicity hazard. PGEs, whether mono, di- or tripropylene glycol-based (and no matter what the alcohol group), show a very similar pattern of low to non-detectable toxicity of any type at doses or exposure levels greatly exceeding those showing pronounced effects from the ethylene series. One of the primary metabolites of the propylene glycol ethers is propylene glycol, which is of low toxicity and completely metabolised in the body

As a class, the propylene glycol ethers are rapidly absorbed and distributed throughout the body when introduced by inhalation or oral exposure. Dermal absorption is somewhat slower but subsequent distribution is rapid. Most excretion for PGEs is via the urine and expired air. A small portion is excreted in the faeces.

As a group PGEs exhibits low acute toxicity by the oral, dermal, and inhalation routes. Rat oral LD50s range from >3,000 mg/kg (PnB) to >5,000 mg/kg (DPMA). Dermal LD50s are all > 2,000 mg/kg (PnB, & DPnB; where no deaths occurred), and ranging up to >15,000 mg/kg (TPM). Inhalation LC50 values were higher than 5,000 mg/m3 for DPMA (4-hour exposure), and TPM (1-hour exposure). For DPnB the 4-hour LC50 is >2,040 mg/m3. For PnB, the 4-hour LC50 was >651 ppm (>3,412 mg/m3), representing the highest practically attainable vapor level. No deaths occurred at these concentrations. PnB and TPM are moderately irritating to eyes while the remaining category members are only slightly irritating to nonirritating. PnB is moderately irritating to skin while the remaining category members are slightly to non-irritating

None are skin sensitisers.

In repeated dose studies ranging in duration from 2 to 13 weeks, few adverse effects were found even at high exposure levels and effects that did occur were mild in nature. By the oral route of administration, NOAELs of 350 mg/kg-d (PnB – 13 wk) and 450 mg/kg-d (DPnB – 13 wk) were observed for liver and kidney weight increases (without accompanying histopathology). LOAELs for these two chemicals were 1000 mg/kg-d (highest dose tested). Dermal repeated-dose toxicity tests have been performed for many PGEs. For PnB, no effects were seen in a 13-wk study at doses

as high as 1,000 mg/kg-d. A dose of 273 mg/kg-d constituted a LOAEL (increased organ weights without histopathology) in a 13-week dermal study for DPnB. For TPM, increased kidney weights (no histopathology) and transiently decreased body weights were found at a dose of 2,895 mg/kg-d in a 90-day study in rabbits. By inhalation, no effects were observed in 2-week studies in rats at the highest tested concentrations of 3244 mg/m3 (600 ppm) for PnB and 2,010 mg/m3 (260 ppm) for DPnB. TPM caused increased liver weights without histopathology by inhalation in a 2-week study at a LOAEL of 360 mg/m3 (43 ppm). In this study, the highest

CG3

CD 2011/1

Chemwatch 4622-39

Hazard Alert Code:

MODERATE

Chemwatch Material Safety Data Sheet (REVIEW)

Version No: 3

Hazard Alert Code: MODERATE

Chemwatch 4622-39

CD 2011/1

Issue Date: 29-Jan-2010

NC317TCP

tested TPM concentration, 1010 mg/m3 (120 ppm), also caused increased liver weights without accompanying histopathology. Although no repeated-dose studies are available for the oral route for TPM, or for any route for DPMA, it is anticipated that these chemicals would behave similarly to other category members.

One and two-generation reproductive toxicity testing has been conducted in mice, rats, and rabbits via the oral or inhalation routes of exposure on PM and PMA. In an inhalation rat study using PM, the NOAEL for parental toxicity is 300 ppm (1106 mg/m3) with decreases in body and organ weights occurring at the LOAEL of 1000 ppm (3686 mg/m3). For offspring toxicity the NOAEL is 1000 ppm (3686 mg/m3), with decreased body weights occurring at 3000 ppm (11058 mg/m3). For PMA, the NOAEL for parental and offspring toxicity is 1000 mg/kg/d. in a two generation gavage study in rats. No adverse effects were found on reproductive organs, fertility rates, or other indices commonly monitored in such studies. In addition, there is no evidence from histopathological data from repeated-dose studies for the category members that would indicate that these chemicals would pose a reproductive hazard to human health.

In developmental toxicity studies many PGEs have been tested by various routes of exposure and in various species at significant exposure levels and show no frank developmental effects. Due to the rapid hydrolysis of DPMA to DPM, DPMA would not be expected to show teratogenic effects. At high doses where maternal toxicity occurs (e.g., significant body weight loss), an increased incidence of some anomalies such as delayed skeletal ossification or increased 13th ribs, have been reported. Commercially available PGEs showed no teratogenicity.

The weight of the evidence indicates that propylene glycol ethers are not likely to be genotoxic. In vitro, negative results have been seen in a number of assays for PnB, DPnB, DPnA and TPM. Positive results were only seen in 3 out of 5 chromosome aberration assays in mammalian cells with DPnB. However, negative results were seen in a mouse micronucleus assay with DPnB and PM. Thus, there is no evidence to suggest these PGEs would be genotoxic in vivo. In a 2-year bioassay on PM, there were no statistically significant increases in tumors in rats and mice.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

TOXICITY POTASSIUM PYROPHOSPHATE:

Oral (rat) LD50: 4000 mg/kg.

[Albright]

No data available. tetrasodium pyrophosphate TRIDECYL ALCOHOL, ETHOXYLATED: Data for sodium analogue only.

IRRITATION

Oral (rat) LD50: 7400 mg/kg

Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed. Animal testing showed that at levels of greater than 100mg/kg, effects were limited to changes in organ weights, with no pathological changes except for liver hypertrophy. AEs are not contact sensitisers. Neat AE are irritating to eyes and skin. The irritation potential of aqueous solutions of AEs depends on concentration. Spray cleaner aerosols and laundry powder detergent dust discharge so little airborne AE that there is unlikely to be irritation of the respiratory tract. In summary, the human health risk assessment has demonstrated that the use of AE in household laundry and cleaning detergents is safe and does not cause concern with regard to consumer use.

DISODIUM DODECYL(SULFOPHENOXY)BENZENESULFONATE:

Oral (rat) LD50: 2000 mg/kg *

Nil Reported *

Advance Labs

• Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons tested.

AMMONIUM LAURYL ETHER SULFATE:

Nil Reported

> Skin (rabbit): 2000 mg/4w Mild

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

Oral (rat) LD50: 630 mg/kg

■ Alcohol ethoxysulfates (AES) are of low acute toxicity. Neat AES are irritant to the skin and eyes. The irritation potential of solutions containing AES depends on concentration. AES is not a contact sensitiser, and contact with the skin at levels seen in laundry or hand dishwashing preparations are not considered to be of concern. AES are not considered to cause mutations, genetic damage, or cancer, and are not reproductive or developmental toxins.

WATER:

No significant acute toxicological data identified in literature search.

SKIN

dipropylene glycol monomethyl ether

Australia Exposure Standards - Skin

Version No: 3

Notes Sk

Section 12 - ECOLOGICAL INFORMATION

TRIDECYL ALCOHOL, ETHOXYLATED: DISODIUM DODECYL(SULFOPHENOXY)BENZENESULFONATE: POTASSIUM PYROPHOSPHATE: Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters. Wastes resulting from use of the product must be disposed of on site or at approved waste sites. POTASSIUM PYROPHOSPHATE: TRIDECYL ALCOHOL, ETHOXYLATED: DISODIUM DODECYL(SULFOPHENOXY)BENZENESULFONATE: DIPROPYLENE GLYCOL MONOMETHYL ETHER: DO NOT discharge into sewer or waterways.
DISODIUM DODECYL(SULFOPHENOXY)BENZENESULFONATE: TRIDECYL ALCOHOL, ETHOXYLATED: ■ Toxic to aquatic organisms. TRIDECYL ALCOHOL, ETHOXYLATED: POTASSIUM PYROPHOSPHATE: May cause long-term adverse effects in the aquatic environment. DIPROPYLENE GLYCOL MONOMETHYL ETHER: for propylene glycol ethers: Environmental fate: Most are liquids at room temperature and all are water-soluble. Most are liquids at room temperature and all are water-soluble. Typical propylene glycol ethers include propylene glycol n-butyl ether (PnB); dipropylene glycol n-butyl ether (DPnB); dipropylene glycol methyl ether (TPM) glycol methyl ether acetate (DPMA); tripropylene glycol methyl ether (TPM) Environmental fate: Log octanol-water partition coefficients (log Kow's) range from 0.309 for TPM to 1.523 for DPnB. Calculated BCFs range from 1.47 for DPnB to 3.16 for DPMA and TPM, indicating low bioaccumulation. Henry's Law Constants, which indicate propensity to partition from water to air, are low for all category members, ranging from 5.7 x 10-9 atm-m3/mole for TPM to 2.7 x10-9 atm-m3/mole for PnB. Fugacity modeling indicates that most propylene glycol ethers are likely to partition roughly equally into the soil and water compartments in the environment with small to negligible amounts remaining in other environmental compartments (air, sediment, and aquatic biota). Propylene glycol ethers are unlikely to persist in the environment. Once in air, the half-life of the category members due to direct reactions with photochemically generated hydroxyl radicals, range from 2.0 hours for half-life of the category members due to direct reactions with photochemically generated hydroxyl radicals, range from 2.0 hours for TPM to 4.6 hours for PnB. In water, most members of this family are "readily biodegradable" under aerobic conditions. (DPMA degraded within 28 days (and within the specified 10-day window) but only using pre-adapted or "acclimated" inoculum.). In soil, biodegradation is rapid for PM and PMA.

Ecotoxicity:

Acute aquatic toxicity testing indicates low toxicity for both ethers and acetates. For ethers, effect concentrations are > 500 mg/L. For acetates, effect concentrations are > 151 mg/L.

For glycol ethers:

Environmental fate:

Ether groups are generally stable to hydrolysis in water under neutral conditions and ambient temperatures. OECD guideline studies indicate ready biodegradability for several glycol ethers although higher molecular weight species seem to biodegrade at a slower rate. No glycol ethers that have been tested demonstrate marked resistance to biodegradative processes. Upon release to the atmosphere by evaporation, high boiling glycol ethers are estimated to undergo photodegradation (atmospheric half lives = 2.4-2.5 hr). When released to water, glycol ethers undergo biodegradation (typically 47-92% after 8-21 days) and have a low potential for bioaccumulation (log Kow ranges from -1.73 to +0.51).

Ecotoxicity:

Aquatic toxicity data indicate that the tri- and tetra ethylene glycol ethers are "practically non-toxic" to aquatic species. No major differences are observed in the order of toxicity going from the methyl- to the butyl ethers.

Glycols exert a high oxygen demand for decomposition and once released to the environments cause the death of aquatic organisms if dissolved oxygen is depleted.

Kow: 0.06

POTASSIUM PYROPHOSPHATE:

Marine Pollutant

Yes

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

The principal problems of phosphate contamination of the environment relates to eutrophication processes in lakes and ponds.

CG3

CD 2011/1

Reported

Chemwatch 4622-39

Hazard Alert Code:

MODERATE

Nil

CD 2011/1

Diversey D2 Concentrate

Version No: 3

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

Phosphorus is an essential plant nutrient and is usually the limiting nutrient for blue-green algae. A lake undergoing eutrophication shows a rapid growth of algae in surface waters. Planktonic algae cause turbidity and flotation films. Shore algae cause ugly muddying, films and damage to reeds. Decay of these algae causes oxygen depletion in the deep water and shallow water near the shore. The process is self-perpetuating because anoxic conditions at the sediment/water interface causes the release of more adsorbed phosphates from the sediment. The growth of algae produces undesirable effects on the treatment of water for drinking purposes, on fisheries, and on the use of lakes for recreational purposes. TRIDECYL ALCOHOL, ETHOXYLATED:

Marine Pollutant

Yes

Hazard Alert Code:

MODERATE

Chemwatch 4622-39

For surfactants: Environmental fate:

Octanol/water partition coefficients cannot easily be determined for surfactants because one part of the molecule is hydrophilic and the other part is hydrophobic. Consequently they tend to accumulate at the interface and are not extracted into one or other of the liquid phases. As a result surfactants are expected to transfer slowly, for example, from water into the flesh of fish. During this process, readily biodegradable surfactants are expected to be metabolised rapidly during the process of bioaccumulation. This was emphasised by the OECD Expert Group stating that chemicals are not to be considered to show bioaccumulation potential if they are readily biodegradable.

Several anionic and nonionic surfactants have been investigated to evaluate their potential to bioconcentrate in fish. BCF values (BCF - bioconcentration factor) ranging from 1 to 350 were found. These are absolute maximum values, resulting from the radiolabelling technique used. In all these studies, substantial oxidative metabolism was found resulting in the highest radioactivity in the gall bladder. This indicates liver transformation of the parent compound and biliary excretion of the metabolised compounds, so that "real" bioconcentration is overstated. After correction it can be expected that "real" parent BCF values are one order of magnitude less than those indicated above, i.e. "real" BCF is <100. Therefore the usual data used for classification by EU directives to determine whether a substance is "Dangerous to the "Environment" has little bearing on whether the use of the surfactant is environmentally acceptable.

Ecotoxicity:

Surfactant should be considered to be toxic (EC50 and LC50 values of < 10 mg/L) to aquatic species under conditions that allow contact of the chemicals with the organisms. The water solubility of the chemicals does not impact the toxicity except as it relates to the ability to conduct tests appropriately to obtain exposure of the test species. The acute aquatic toxicity generally is considered to be related to the effects of the surfactant properties on the organism and not to direct chemical toxicity. for alcohol ethoxylates

Environmental fate:

Alcohol (alkyl) ethoxylates (AEs) are generally biodegradable and do not persist for any substantial period in the environment. They are not usually present a concentrations which might produce problems. Contamination of natural waters, however, should be avoided.

The biodegradability of the alcohol ethoxylates (AE) is relatively unaffected by the alkyl carbon chain length and the number of EO units. The linear AE are normally easily degraded under aerobic conditions. Only small differences are seen in the time needed for ultimate degradation of linear AE with different alkyl chain lengths. AE with a typical alkyl chain (e.g., C12 to C15) will normally reach more than 60% degradation in standardized tests for "ready" biodegradability. The rate of biodegradation may however be determined by the length of the ethylene oxide (EO) chain. Longer EO chains decrease the bioavailability of the AE (to microorganism) due to increased hydrophilicity and molecular size, which limits the transport of the molecule through the cell wall. The biodegradation of branched AE tends to be slower than biodegradation of linear AE. The biodegradability of AE depends on degree and structure of the branching. The general trend is that the biodegradation decreases considerably with an increasing branching of the carbon chain. The biodegradability of alcohol alkoxylates (AA), similarly, generally decreases with an increasing number of PO units. AA containing 6 PO units did not pass the level required for ready biodegradability whereas the same alcohol containing 2 PO units attained 83% ThOD in the closed bottle test.

The mineralization observed in experiments with 14C-labelled surfactants suggests that almost complete degradation of linear AE may be expected in anaerobic digesters.

Ecotoxicity:

Available information suggests that alcohol ethoxylates can have acute and chronic toxic effects on aquatic organisms. These effects vary by carbon chain length. Typical alcohol ethoxylate surfactant chain length ranges from 9 to 18 carbons and 3 to 8 ethoxylate groups. Toxicity generally declines as the number of ethoxylates increases

A summary of chronic toxicity data from 60 studies conducted between 1977 and 2004 on fish, aquatic invertebrates, and aquatic plant and algae species states that alcohol ethoxylates' effects on aquatic species include reduced growth rates, impaired reproduction, and reduced survival of neonates, as well as acute mortality. Alcohol ethoxylates may cause diminished growth rates and reduced cell counts in algae species at concentrations as low as 0.03 mg/L.

The concentrations at which alcohol ethoxylates lead to acute mortality in aquatic species are similar to the concentrations at which nonylphenol ethoxylates lead to acute mortality. However, alcohol ethoxylates degrade more quickly in the aquatic environment to relatively non-toxic compounds, whereas nonylphenol ethoxylate degradation typically yields nonylphenol, which is toxic as well as persistent in the aquatic environment

Algae constitute the group of aquatic organisms which appears to be the most sensitive to AE. The acute toxicity of linear and branched AE to algae is in the same range with EC50 values from 0.05 to 50 mg/l. For the linear AE, the toxicity increases with increasing hydrophobe chain length of C13) and decreasing EO chain length. The toxicity of AE to algae tends to decrease with increasing degree of branching.

The acute toxicity of AE to invertebrates varies with EC50 values from 0.1 mg/l to more than 100 mg/l for the linear types and from 0.5 mg/l to 50 mg/l for the branched types. The toxicity is species specific and may vary between 0.29 mg/l to 270 mg/l for the same linear AE The most commonly used invertebrates for testing are Daphnia magna and Daphnia pulex, and they are also among the most sensitive invertebrates to AE. Apparently, the toxicity of AE to invertebrates was not related to hydrophobicity as it is the case for algae. Some AE are very toxic to invertebrates, i.e., linear AE of C12-15 EO1-8 and branched AE with a low degree of branching, i.e. < 10-25%. Branching of the alkyl chain reduces the toxicity of AE to invertebrates as also observed for algae.

The acute toxicity of AE to fish varies with LC50 values from 0.4 mg/l to more than 100 mg/l for the linear types and from 0.25 mg/l to 40 mg/l for the branched AE. For linear AE the toxicity increases with decreasing EO units. AE containing 7-11 EO groups are considered to be very toxic to fish (EC/LC50: 1 mg/l).

Of special interest are the aryl alcohol ethoxylates.

A EU Risk Assessment Report (RAR) concluded that octyl- and nonyl- phenol ethoxylates are not readily biodegradable but are inherently biodegradable.

As a group, these materials are generally toxic to fish with LC50s ranging, typically, between 1-6 mg/l.

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

Of special concern are the following families which are classified as "Environmentally Hazardous Substances" (Dangerous Goods Class 9) by either or both the ADR (Accord Europeen Relatif au Transport International des Merchandises Dangerous par Route) and the IMDG Code (International Maritime Dangerous Goods Code).

alcohols C 6-17 (secondary) with 3-6 moles of ethoxylation.

alcohols C12-15 with 1-3 moles of ethoxylation (1-6 moles of ethoxylation IMDG)

alcohols C13-15 with 1-6 moles of ethoxylation.

New aquatic data suggests that alcohols C 8-9 branched with 3-10 moles of ethoxylation alcohols C 8-9 branched with > 10 moles of ethoxylation should also be classified as 'harmful to the environment".

These alcohols may also be found linked to aromatic structures (in nonylphenol ethoxylates for example). The current consensus determines that such entities become Environmental Toxins by association. DISODIUM DODECYL(SULFOPHENOXY)BENZENESULFONATE:

Marine Pollutant

Yes

/53#90adpod#90dipheneth#90dyesulf AMMONIUM LAURYL ETHER SULFATE:

A large environmental data set is available for alcohol ethoxysulfates (AES). On the environmental fate side, this includes standard biodegradation studies, advanced simulation studies of removal in treatment systems, and field monitoring data. On the environmental effects side, acute as well as chronic single-species data are available, as well as advanced studies in micro- and mesocosm systems.

By means of these higher tier exposure and effects data, it could be shown that the use of AES in household detergents and cleaning products results in risk characterization ratios less than one, indicating no concern, for all environmental compartments.

The most frequent initial step in the biodegradation of AES is the cleavage of an ether bond.. The cleavage may take place at any ether bond producing a fatty alcohol or an alcohol ethoxylate and ethylene glycol sulfates of various lengths.. The length of the alkyl chain and the number of EO units apparently do not affect the degree of aerobic biodegradation, but branching of the alkyl chain may hinder the primary biodegradation of AES. AES are degraded readily and completely under aerobic conditions. E.g., for C12-14 AE3S, a rapid primary degradation of 90-100% is reported to take place within a period of 1 to 5 days. In activated sludge simulation tests 67-99% DOC was removed by degradation of C12-14 AE2S and C12-15 AE3S. The ultimate biodegradation of AES has been confirmed in OECD 301 tests for ready biodegradability.

Based on at least one study, AES are not considered to bioconcentrate in aquatic organisms.

The chemical structure of AES highly influences the effect on aquatic organisms. The relations between alkyl chain length, number of EO groups and toxicity are complex and not yet resolved, but in general, changes in EO numbers affects toxicity more than changes in the alkyl chain length. In AES with alkyl chains of less than C16, the toxicity tended to decrease with increasing numbers of EO, but this was reversed for alkyl chain lengths above C16. The toxicity of AES thus seems to peak at alkyl chain lengths of C16. In a study of the acute toxicity of various AES (C8 to C19.6 and 1-3 EO) to bluegill sunfish (Lepomis macrochirus), the LC50 fell from > 250 mg/l for C8 and 375 mg/l for C10 to 24 mg/l for C13, 4-7 mg/l for C14, 2 mg/l for C15 and 0.3 mg/l for C16, and then increased to 10.8 mg/l for C17.9 and 17 mg/l for C19.6. Reported ranges for EC50 for the acute toxicity of AES to daphnids between 1 and 50 mg/l. However, an EC50 of 0.37 mg/l was observed in a 21-day reproduction test with Daphnia magna. The LC50 values for fish are in the range between 0.39 to 450 mg/l. A LOEC value of 0.22 mg/l has been reported for a chronic life cycle test with a duration of 1 year. The toxicity of AES towards fish seems to increase with increasing alkyl chain length for AES with up to 16 carbons.

Environmental and Health Assessment of Substances in Household Detergents and Cosmetic Detergent Products, Environment Project, 615, 2001. Torben Madsen et al: Miljoministeriet (Danish Environmental Protection Agency).

In air ammonia is persistent whilst, in water, it biodegrades rapidly to nitrate, producing a high oxygen demand. Ammonia is strongly adsorbed to soil. Ammonia is non-persistent in water (half-life 2 days) and is moderately toxic to fish under normal temperature and pH conditions. Ammonia is harmful to aquatic life at low concentrations but does not concentrate in the food chain. Drinking Water Standards: 0.5 mg/l (UK max.)

1.5 mg/l (WHO Levels)

Soil Guidelines: none available. Air Quality Standards: none available. Ecotoxicity: Algae: 20 mg/l/3h (Mortality) WATER:

Ecotoxicity

Ingredient	Persistence: Water/Soil	Persistence: Air	Bioaccumulation	Mobility
Diversey	No	No		
Concentrate	Available	Available		
dipropylene		No		
glycol monomethyl ether	HIGH	Data Available	LOW	HIGH
	No	No		
potassium pyrophosphate	Data	Data		
Fy - F F F	Available	Available		
tridecvl	No	No		
alcohol,	Data	Data	LOW	
ethoxylated	Available	Available		

http://jr.chemwatch.net/chemgold3/msds.exe?mode=SAP&cwno=4622-39&msdsfor... 24/06/2011

Version No: 3

Chemwatch 4622-39

Hazard Alert Code:

MODERATE

Version No: 3

Chemwatch Material Safety Data Sheet (REVIEW)

Issue Date: 29-Jan-2010

NC317TCP

disodium dodecyl (culfanhanayy)	No Data	No Data
benzenesulfonate	Available	Available
ammonium	No	No
lauryl ether	Data	Data
sulfate	Available	Available

Section 13 - DISPOSAL CONSIDERATIONS

Containers may still present a chemical hazard/ danger when empty. .

• Return to supplier for reuse/ recycling if possible.

Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store
- the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- Where possible retain label warnings and MSDS and observe all notices pertaining to the product.

Section 14 - TRANSPORTATION INFORMATION

HAZCHEM:

None (ADG7) NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: UN, IATA, IMDG

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE None

REGULATIONS

Regulations for ingredients

dipropylene glycol monomethyl ether (CAS: 34590-94-8,12002-25-4,112388-78-0,104512-57-4,83730-60-3,112-28-7,13429-07-7,20324-32-7,13588-28-8,55956-21-3) is found on the following regulatory lists;

"Australia Exposure Standards", "Australia Hazardous Substances", "Australia High Volume Industrial Chemical List (HVICL)", "Australia Inventory of Chemical Substances (AICS)", "IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk", "International Council of Chemical Associations (ICCA) - High Production Volume List", "International Fragrance Association (IFRA) Survey: Transparency List", "OECD Representative List of High Production Volume (HPV) Chemicals" potassium pyrophosphate (CAS: 7320-34-5) is found on the following regulatory lists;

"Australia Inventory of Chemical Substances (AICS)", "GESAMP/EHS Composite List - GESAMP Hazard Profiles", "OECD Representative List of High Production Volume (HPV) Chemicals" tridecyl alcohol, ethoxylated (CAS: 24938-91-8) is found on the following regulatory lists;

"Australia Inventory of Chemical Substances (AICS)"

disodium dodecyl(sulfophenoxy)benzenesulfonate (CAS: 28519-02-0,119345-04-9,149119-20-0) is found on the following regulatory lists;

"Australia Inventory of Chemical Substances (AICS)","International Fragrance Association (IFRA) Survey: Transparency List","OECD Representative List of High Production Volume (HPV) Chemicals

ammonium lauryl ether sulfate (CAS: 32612-48-9) is found on the following regulatory lists; "Australia Inventory of Chemical Substances (AICS)

water (CAS: 7732-18-5) is found on the following regulatory lists; "Australia Inventory of Chemical Substances (AICS)","IMO IBC Code Chapter 18: List of products to which the Code does not apply","International Fragrance Association (IFRA) Survey: Transparency List","OECD Representative List of High Production Volume (HPV) Chemicals

No data for Diversey D2 Concentrate (CW: 4622-39)

Section 16 - OTHER INFORMATION

Denmark Advisory list for selfclassification of dangerous substances

Substance CAS dipropylene glycol monomethyl ether disodium dodecyl(sulfophenoxy)benzenesulfonate

Suggested codes 20324-32-7 28519-02-0

Xn; R22 Mut3; R68 N; R50/53

Ingredients with multiple CAS Nos CAS

Ingredient Name

34590-94-8, 12002-25-4, 112388-78-0, 104512-57-4, 83730-60-3, 112-28-7, 13429-07-7,

http://jr.chemwatch.net/chemgold3/msds.exe?mode=SAP&cwno=4622-39&msdsfor... 24/06/2011

CG3

Hazard Alert Code: MODERATE

Chemwatch 4622-39

Chemwatch Material Safety Data Sheet (REVIEW)

Version No: 3

Hazard Alert Code: MODERATE

Chemwatch 4622-39

CD 2011/1

Issue Date: 29-Jan-2010

NC317TCP

dipropylene glycol monomethyl ether 20324-32-7, 13588-28-8, 55956-21-3 disodium dodecyl(sulfophenoxy)₂₈₅₁₉₋₀₂₋₀, 119345-04-9, 149119-20-0 benzenesulfonate

 Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.
 A list of reference resources used to assist the committee may be found at: www.chemwatch.net/references.

• The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 29-Jan-2010 Print Date:24-Jun-2011